

Notice of Allowability	Application No.	Applicant(s)
	10/821,254	KOMATSU ET AL.
	Examiner	Art Unit
	William C. Choi	2873

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to _____.
2. The allowed claim(s) is/are 1-9.
3. The drawings filed on 09 April 2004 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of
 Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 0404 & 1004
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

Georgia Epps
 Georgia Epps
 Supervisory Patent Examiner
 Technology Center 2800

Allowed Claims: 1-9.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: none of the prior art either alone or in combination disclose or teach of the claimed combination of limitations to warrant a rejection under 35 USC 102 or 103.

Specifically, with respect to independent claim 1, none of the prior art alone or in combination disclose or teach of a projection lens comprising a negative first and positive second group of lenses arranged from an enlargement to a reduction side as claimed, specifically wherein the lens has a field angle of about 110° or more and satisfies the conditional expressions regarding lens distances and image heights as claimed.

Specifically, with respect to independent claim 9, none of the prior art alone or in combination disclose or teach of a projection image display with a projection lens comprising a negative first and positive second group of lenses arranged from an enlargement to a reduction side as claimed, specifically wherein the lens has a field angle of about 110° or more and satisfies the conditional expressions regarding lens distances and image heights as claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

CONCLUSION

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Moon (U.S. 6,034,824) and Sekine (U.S. 5,822,129) are being cited herein to show projection lenses comprising some of the structural limitations of that of the claimed invention, but do not specifically satisfy the claimed conditions regarding lens distances and field angle as claimed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William C. Choi whose telephone number is (571) 272-2324. The examiner can normally be reached on Monday-Friday from about 9:00 am to 6 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Y. Epps can be reached on (571) 272-2328. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 2873

W.C.

William Choi
Patent Examiner
Art Unit 2873
May 5, 2005



Georgia Epps
Supervisory Patent Examiner
Technology Center 2800